



KENYA FILM CLASSIFICATION BOARD

15th floor, Uchumi House.

P.O Box 44226-00100, Nairobi, Kenya.

TENDER DOCUMENT

FOR

SUPPLY, INSTALLATION & TESTING OF:

- i. FILM PREVIEW EQUIPMENT FOR THE
KFCB THEATRE AND FILM PREVIEW
STUDIOS**
- ii. PROJECTOR, SCREEN AND SOUND FOR
KFCB BOARDROOM**

TENDER NO: KFCB /05/2017-2018

OCTOBER 2017

TABLE OF CONTENTS

		PAGE
*	SECTION I	INVITATION TO TENDER 3
*	SECTION II	INSTRUCTIONS TO TENDERERS 5 Appendix to Instructions to tenderers 24
*	SECTION III	GENERAL CONDITIONS OF CONTRACT..... 26
*	SECTION IV	SPECIAL CONDITIONS OF CONTRACT 34
*	SECTION V	SCHEDULE OF REQUIREMENTS AND PRICE.. 36
*	SECTION VI	TECHNICAL SPECIFICATION 38
*	SECTION VII	STANDARD FORMS 55
	7.1	FORM OF TENDER 56
	7.2	CONFIDENTIAL BUSINESS & QUESTIONNAIRE FORM..... 57
	7.3	TENDER SECURITY FORM58
	7.4	CONTRACT FORM59
	7.5	PERFORMANCE SECURITY FORM.....60
	7.6	BANK QUARANTEE FOR ADVANCE PAYMENT 61
	7.7	MANUFACTURER’S AUTHORIZATION FORM62

SECTION I INVITATION TO TENDER

TENDER REF NO. KFCB /05/2017-2018

TENDER NAME: SUPPLY, INSTALLATION & TESTING OF:

- i. FILM PREVIEW EQUIPMENT FOR THE KFCB THEATRE AND FILM PREVIEW STUDIOS**
- ii. PROJECTOR, SCREEN AND SOUND FOR KFCB BOARDROOM**

The Kenya Film Classification Board invites sealed tenders from eligible candidates for **Supply, Installation & Testing of Film Preview Equipment and Boardroom Equipment.**

Interested eligible candidates should obtain tender documents from the Procurement Office, Kenya Film Classification Board Uchumi House 15th Floor, upon payment at the Cash Office of a non -refundable tender fee of Kshs. **1,000.00**. The document may also be **viewed and downloaded** from the Kenya Film Classification Board's website: www.kfcb.co.ke. Bidders who download the tender document from the website **must forward their particulars immediately to info@kfcb.co.ke for records and for purposes of receiving any further tender clarifications and addenda.**

Prices quoted should be net inclusive of all taxes and delivery costs, must be expressed in Kenya shillings and shall remain valid for a period of 90 days from the closing date of the tender.

Completed tender documents are to be enclosed in plain sealed envelopes, marked with the tender number and be deposited in the **tender box** provided at Kenya Film Classification Board **Uchumi House, 15th Floor** or be addressed and posted to:

**The Chief Executive Officer
Kenya Film Classification Board
P.O. Box 44226-00100
Nairobi.**

to be received on or before **TUESDAY OCTOBER 17TH, 2017 AT 11.00 A. M.**

Tenders must be accompanied by a tender Security of **Kenya Shillings One Hundred Thousand (100,000)** in the form of a guarantee from a reputable bank or an insurance company approved by PPRA payable to the Kenya Film Classification Board.

Tenders will be opened immediately thereafter in the boardroom, KFCB offices in the presence of tenderers representatives who choose to attend.

Bidders are expected to conduct a site survey on the venue to ascertain the various requirements, understand and seek clarifications on the needs of the Board.

A pre-tender meeting for interested tenderers will be held at **10.00am on 9th October 2017** in the Boardroom at KFCB offices followed by a guided site survey.

**CHIEF EXECUTIVE OFFICER
KENYA FILM CLASSIFICATION BOARD**

SECTION II - INSTRUCTIONS TO TENDERERS
Table of Clauses

	Page
2.1 Eligible Tenderers.....	6
2.2 Eligible Equipment.....	6
2.3 Cost of Tendering.....	7
2.4 Contents of Tender Document.....	7
2.5 Clarification of Tender Documents.....	8
2.6 Amendment of Tender Document.....	8
2.7 Language of Tender.....	9
2.8 Documents Comprising the Tender.....	9
2.9 Tender Forms.....	10
2.10 Tender Prices.....	10
2.11 Tender Currencies.....	10
2.12 Tenderers Eligibility and Qualifications.....	11
2.13 Goods' Eligibility and Conformity to Tender Document.....	11
2.14 Tender Security.....	13
2.15 Validity of Tenders.....	14
2.16 Format and Signing of Tenders.....	14
2.17 Sealing and Marking of Tenders.....	15
2.18 Deadline for Submission of Tender	15
2.19 Modification and Withdrawal of Tenders.....	16
2.20 Opening of Tenders.....	16
2.21 Clarification of Tenders.....	17
2.22 Preliminary Examination.....	17
2.23 Conversion to Single Currency.....	18
2.24 Evaluation and Comparison of Tenders.....	18
2.25 Contacting the Procuring Entity.....	20
2.26 Award of Contract.....	20
(a) Post Qualification.....	20
(b) Award criteria	21
(c) Procuring Entity's Right to Vary Quantities.....	21
(d) Procuring Entity's Right to Accept or Reject any or all Tenders...	21
2.27 Notification of Award.....	22
2.28 Signing of Contract.....	22
2.29 Performance Security	23
2.30 Corrupt or Fraudulent Practices.....	23

SECTION II – INSTRUCTIONS TO TENDERERS

2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Appendix to Instructions to Tenderers. Successful tenderers shall complete the supply, install and commissioning of the equipment by the intended completion date specified in the tender documents.
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender unless where specially allowed under section 131 of the Act.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers involved in corrupt or fraudulent practices or debarred from participating in public procurement shall not be eligible.

2.2 Eligible Equipment

- 2.2.1 All equipment to be supplied and installed under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the equipment(s) are produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is

substantially different in basic characteristics or in purpose or utility from its components

2.2.3 The origin of equipment is distinct from the nationality of the tenderer and shall be treated thus in the evaluation of the tender.

2.3 Cost of Tendering

2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

2.3.2 The price to be charged for the tender document shall not exceed Ksh 5000.00

2.3.3 The procuring entity shall allow the tenderer to review the tender document free of charge before purchase.

2.4 Contents of Tender Document

2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to tenderers

- (i) Invitation to Tender
- (ii) Instructions to Tenderers
- (iii) General Conditions of Contract
- (iv) Special Conditions of Contract
- (v) Schedule of requirements
- (vi) Technical Specifications
- (vii) Tender Form and Price Schedules
- (viii) Tender Security Form
- (ix) Contract Form
- (x) Performance Security Form
- (xi) Bank Guarantee for Advance Payment Form
- (xii) Manufacturer's Authorization Form
- (xiii) Confidential Business Questionnaire Form

- (xiv) Declaration form
- (xv) Request for Review Form

2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 Clarification of Tender Documents

2.5.1 A prospective tenderer making inquiries of the tender documents may notify the Procuring entity in writing or by post at the entity's address indicated in the invitation for tenders. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.

2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

2.6 Amendment of Tender Documents

2.6.1 At any time prior to the deadline for submission of tender, the procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by issuing an addendum.

2.6.2 All prospective tenderers that have obtained the tender documents will be notified of the amendment in writing or by post and will be binding on them.

2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

2.7 Language of Tender

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.8 Documents Comprising the Tender

2.8.1 The tender prepared by the tenderers shall comprise the following components.

- (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
- (b) documentary evidence established in accordance with paragraph 2.12 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
- (c) documentary evidence established in accordance with paragraph 2.13 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
- (d) tender security furnished in accordance with paragraph 2.14
- (e) Confidential Business Questionnaire

2.9 Tender Form

2.9.1 The tenderer shall complete the Form of Tender and the appropriate Price Schedule furnished in the tender documents, indicating the equipment to be supplied, installed and commissioned and a brief description of the equipment, their country of origin, quantity, and prices.

2.10 Tender Prices

2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices where applicable and total tender price of the equipment and installation it proposes to supply under the contract.

2.10.2 Prices indicated on the Price Schedule shall be entered separately in the following manner:

- (i) the price of the equipment quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable), including all customs duties and sales and other taxes already paid or payable;
- (ii) charges for inland transportation, insurance, and other local costs incidental to delivery of the goods to their final destination; and
- (iii) installation charges shall also be indicated separately for each equipment

2.10.3 Prices quoted by the tender shall remain fixed during the Tender's performance of the contract. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22 unless otherwise agreed by the parties.

2.11 Tender Currencies

2.11.1 Prices shall be quoted in the following currencies:

- (a) For equipment that the tenderer will supply from within Kenya, the prices shall be quoted in Kenya Shillings; and

- (b) For equipment that the tenderer will supply from outside Kenya, the prices may be quoted in US Dollars or in another freely convertible currency.
- (c) Cost of installation and commissioning will be in Kenya Shillings.

2.12 Tenderers Eligibility and Qualifications

2.12.1 Pursuant to paragraph 2.1. the tenderers shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.

2.12.1 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1

2.12.2 The documentary evidence of the tenderes qualifications to perform the contract if its tender is accepted shall establish to the Procuring entity's satisfaction;

- (a) that, in the case of a tenderer offering to supply equipment under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the equipment, Manufacturer or producer to supply the equipment
- (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
- (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Document

2.13.1 Pursuant paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity

to the tender documents of all equipment which the tenderer proposes to supply under the contract

2.13.2 The documentary evidence of the eligibility of the goods shall consist of statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.

2.13.3 The documentary evidence of conformity of the equipment to the tender documents may be in the form of literature, drawings, and data, and shall consist of:

- a) a detailed description of the essential technical and performance characteristic of the equipment
- b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the equipment for a period of two (2) years, following commencement of the use of the equipment by the Procuring entity; and
- c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

2.13.4 For purposes of the commentary to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.14 Tender Security

2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount and form specified in the Appendix to Instructions to Tenderers.

2.14.2 The tender security shall be in the amount not exceeding 2 percent of the tender price.

2.14.3 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7

2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of

- a) Cash
- b) A bank guarantee
- c) Such insurance guarantee approved by the Authority
- d) Letter of credit.

2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non responsive, pursuant to paragraph 2.22

2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.

2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28

2.14.8 The tender security may be forfeited:

- a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form; or
- b) in the case of a successful tenderer, if the tenderer fails:

- i) to sign the contract in accordance with paragraph 2.27
 - 1. or
 - ii) to furnish performance security in accordance with paragraph 2.28
- c) If the tenderer rejects correction of an arithmetic error in the tender.

2.15 Validity of Tenders

2.15.1 Tenderers shall remain valid for 90 days or as specified in the tender documents after date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.20. A tender valid for a shorter period shall be rejected by the Procuring entity as non responsive.

2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

2.16 Format and Signing of Tender

2.16.1 The Procuring entity shall prepare two copies of the tender, clearly marking each "ORIGINAL TENDER" and "COPY OF TENDER," as appropriate. In the event of any discrepancy between them, the original shall govern.

2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. All pages of the tender, except for unamended printed literature, shall be initialed by the person or persons signing the tender.

2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which

case such corrections shall be initialed by the person or persons signing the tender.

2.17 Sealing and Marking of Tenders

2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as “ORIGINAL” and “COPY.” The envelopes shall then be sealed in an outer envelope.

2.17.2 The inner and outer envelopes shall:

(a) be addressed to the Procuring entity at the address given on the Invitation to Tender.

(b) bear the tender number and name in the Invitation to Tender and the words “DO NOT OPEN BEFORE **Tuesday 17th October, 2017 at 11.00am.**”

2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared “late”.

2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender’s misplacement or premature opening.

2.18 Deadline for Submission of Tenders

2.18.1 Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 not later than **11.00am on 17th October, 2017.**

2.18.2 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

2.18.3 Bulky tenders which will not fit in the tender box shall be received by the procuring entity as provided for in the Appendix.

2.19 Modification and Withdrawal of Tenders

- 2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring entity prior to the deadline prescribed for submission of tenders.
- 2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.
- 2.19.3 No tender may be modified after the deadline for submission of tenders.
- 2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7

2.20 Opening of Tenders

- 2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, at **11.00am on 17th October, 2017** and in the following location.

**Kenya Film Classification Board,
Uchumi House, 15th Floor,
Aga Khan Walk.**

The tenderers' representatives who are present shall sign a tender opening register evidencing their attendance.

- 2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.

2.20.3 The Procuring entity will prepare minutes of the tender opening.

2.21 Clarification of Tenders

2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.

2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.22 Preliminary Examination and Responsiveness

2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.

2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security may be forfeited. If there is a discrepancy between words and figures the amount in words will prevail

2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.

2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non conformity.

2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, the Procuring Entity will convert those currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

2.24 Evaluation and Comparison of Tenders

2.24.1 The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22

2.24.2 The Procuring entity's evaluation of a tender will exclude and not take into account

- (a) in the case of equipment manufactured in Kenya or equipment of foreign origin already located in Kenya, sales and other similar taxes, which will be payable on the goods if a contract is awarded to the tenderer; and
- (b) any allowance for price adjustment during the period of execution of the contract, if provided in the tender.

2.24.3 The comparison shall be of the ex-factory/ex-warehouse/off-the-shelf price of the goods offered from within Kenya, such price to include all

costs, as well as duties and taxes paid or payable on components and raw material incorporated or to be incorporated in the goods.

2.24.4 The Procuring entity's evaluation of a tender will take into account, in addition to the tender price and the price of incidental services, the following factors, in the manner and to the extent indicated in paragraph 2.23.5 and in the technical specifications:

- (a) delivery and installation schedule offered in the tender;
- (b) deviations in payment schedule from the specifications in the Special Conditions of Contract;
- (c) the cost of components, mandatory spare parts and service;
- (d) the availability in Kenya of spare parts and after-sales service for the equipment offered in the tender;

2.24.5 Pursuant to paragraph 2.24.4 the following evaluation methods will be applied

(a) *Delivery schedule*

- (i) The Procuring entity requires that the equipment under the Invitation for Tenders shall be delivered at the time specified in the Schedule of Requirements. Tenders offering deliveries longer than the procuring entity's required delivery time will be treated as non-responsive and rejected.

(b) *Deviation in payment schedule*

Tenderers shall state their tender price for the payment of schedule outlined in the special conditions of contract. Tenders will be evaluated on the basis of this base price. Tenderers are, however, permitted to state an alternative payment schedule and indicate the reduction in tender price they wish to offer for such alternative payment schedule. The Procuring entity may consider the alternative payment schedule offered by the selected tenderer.

(c) *Spare parts and after sales service facilities*

Tenderers must offer items with service and spare parts back-up. Documentary evidence and locations of such back-up must be given. Where a tenderer offers items without such back-up in the country, he

must give a documentary evidence and assurance that he will establish adequate back-up for items supplied.

2.24.6 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

2.24.7 Preference where allowed in the evaluation of tenders shall not exceed 15%

2.25 Contacting the Procuring Entity

2.25.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.

2.25.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.26 Award of Contract

(a) Post-Qualification

2.26.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.

2.26.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.

2.26.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

(b) Award Criteria

2.26.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

2.26.5 To qualify for contract awards, the tenderer shall have the following:

- a) Necessary qualifications, capability experience, services, equipment and facilities to provide what is being procured.
- b) Legal capacity to enter into a contract for procurement
- c) Shall not be insolvent, in receivership, bankrupt or in the process of being wound up and is not the subject of legal proceedings relating to the foregoing.
- d) Shall not be debarred from participating in public procurement.

(c) Procuring Entity's Right to Accept or Reject Any or All Tenders

2.26.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderer of the grounds for the procuring entity's action

2.26.7 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination

2.26.8 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

2.26.9 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

2.27 Notification of Award

2.27.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.

2.27.2 The notification of award will signify the formation of the Contract but will have to wait until the contract is finally signed by both parties. Simultaneous other tenderers shall be notified that their tenders have not been successful.

2.27.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.29, the Procuring entity will simultaneously inform the other tenderers that their tenders have not been successful.

2.28 Signing of Contract

2.28.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the procuring entity will simultaneously inform the other tenderers that their tenders have not been successful.

2.28.2 Within fourteen (14) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

2.28.3 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

Performance Security

2.28.4 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.

2.28.5 Failure of the successful tenderer to comply with the requirements of paragraph 2.28 or paragraph 2.29 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

2.29 Corrupt or Fraudulent Practices

2.29.1 The procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts. A tenderer shall sign a declaration that he has and will not be involved in corrupt or fraudulent practices.

3.30.2 The Procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.

3.30.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public Procurement in Kenya.

Appendix to Instructions to Tenderers

Notes on the Appendix to the Instructions to Tenderers

1. The Appendix to instructions to the tenderers is intended to assist the procuring entity in providing specific information in relation to corresponding clause in the instructions to Tenderers including in Section II and has to be prepared for each specific procurement.

2. The procuring entity should specify in the appendix information and requirement specific to the circumstances of the procuring entity, the goods to be procured and the tender evaluation criteria that will apply to the tenders.

3. In preparing the Appendix the following aspects should be taken into consideration;
 - (a) The information that specifies and complements provisions of Section II to be incorporated

 - (b) Amendments and/or supplements if any, to provisions of Section II as necessitated by the circumstances of the goods to be procured to be also incorporated

4. Section II should remain unchanged and can only be amended through the Appendix.

5. Clauses to be included in this part must be consistent with the public procurement law and the regulations.

APPENDIX TO INSTRUCTIONS TO TENDERERS

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers.

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
2.1.1	<i>Particulars of eligible tenderers:</i> candidates who must meet the requirements set out in the technical specifications. Bidders who are registered under the special categories of youth, women and persons with disability (provision of ICT and telecommunication services) will be given preference.
2.14.1	<i>Particulars of tender security:</i> Tenders must be accompanied by a tender Security of Kenya Shillings One Hundred Thousand (100,000) in the form of a guarantee from a reputable bank or an insurance company approved by PPRA payable to the Kenya Film Classification Board.
2.18.1	<i>The deadline for submissions of Tender Documents is</i> Tuesday 17th October 2017 at 11.00a.m.
2.20.1	<i>Tenders will be opened at the following location:</i> Boardroom, Kenya Film Classification Board, Uchumi House, Aga Khan Walk.
2.24	<i>Bidders must attach the following mandatory documents:</i> 1.Certificate of registration/incorporation 2.Valid tax compliance certificate 3.Tender security 4.Duly filled Form of Tender 5.Duly filled Confidential Business Questionnaire
2.29.1	<i>Particulars of performance security:</i> 10% of the Contract Price.

SECTION III: GENERAL CONDITIONS OF CONTRACT

Table of Clauses

	Page
3.1 Definitions.....	27
3.2 Application.....	27
3.3 Country of Origin.....	27
3.4 Standards.....	28
3.5 Use of Contract Documents and Information.....	28
3.6 Patent Rights.....	28
3.7 Performance Security.....	28
3.8 Inspection and Tests.....	29
3.9 Packing.....	30
3.10 Delivery and Documents.....	30
3.11 Insurance	30
3.12 Payment.....	30
3.13 Price.....	31
3.14 Assignments.....	31
3.15 Sub contracts.....	31
3.16 Termination for Default.....	31
3.17 Termination for Convenience.....	32
3.18 Liquidated Damages.....	32
3.19 Resolution of Disputes.....	32
3.20 Language and law.....	33
3.21 Force Majeure	33
3.22 Notices	33

SECTION III - GENERAL CONDITIONS OF CONTRACT

3.1 Definitions

3.1.1 In this Contract, the following terms shall be interpreted as indicated:-

- (a) “The Contract” means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
- (c) “The Goods” means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
- (d) “The Procuring entity” means the organization purchasing the Goods under this Contract.
- (e) “The Tenderer” means the individual or firm supplying the Goods under this Contract.

3.2 Application

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment to the extent that they are not superceded by provisions of other part of contract.

3.3 Country of Origin

3.3.1 For purposes of this clause, “Origin” means the place where the Goods were mined, grown or produced.

3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer and will be treated thus in the evaluation of the tender.

3.4 **Standards**

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 **Use of Contract Documents and Information**

3.5.1 The Candidate shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.

3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above

3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

3.6 **Patent Rights**

3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

3.7 **Performance Security**

3.7.1 Within twenty eight (28) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security where applicable in the amount specified in Special Conditions of Contract.

- 3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.
- 3.7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the procuring entity and shall be in the form of
- a) Cash
 - b) Bank guarantee
 - c) Such insurance guarantee approved by the Authority
 - d) Letter of credit
- 3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not late than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

3.8 Inspection and Tests

- 3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the equipment to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.
- 3.8.2 The inspections and tests may be conducted in the premises of the tenderer. All reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.
- 3.8.3 Should any inspected or tested equipment fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the Procuring entity.

3.8.4 The Procuring entity's right to inspect test and where necessary, reject the equipment after the equipment arrival and installation shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.

3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 Packing

3.9.1 The tenderer shall provide such packing and packaging of the equipment as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.

3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

3.10 Delivery and Documents

3.10.1 Delivery of the equipment, documents and installation of the same shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

3.11 Insurance

3.11.1 The equipment supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

3.12 Payment

3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract

3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

3.13 Prices

3.13.1 Prices charged by the tenderer for equipment delivered and installation performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.

3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

3.13.3 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.

3.13.4 Price variation requests shall be processed by the procuring entity within 30 days of receiving the request.

3.14. Assignment

The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

3.15. Subcontracts

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

3.16. Termination for Default

3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part

- (a) if the tenderer fails to deliver any or all of the equipment within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity
- (b) if the tenderer fails to perform any other obligation(s) under the Contract
- (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract

3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar equipment.

3.17. Termination for convenience

3.18. Liquidated Damages

3.18.1 If the tenderer fails to deliver and/or install any or all of the items within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.19. Resolution of Disputes

3.19.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract

3.19.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified in the SCC.

3.20. Language and Law

3.20.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise specified in the SCC

3.21. Force Majeure

3.21.1 The Tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

3.22 Notices

3.22.1 Any notice given by one party to the other pursuant to this contract shall be sent to other party by post or by fax or Email and confirmed in writing to the other party's address specified.

3.22.2 A notice shall be effective when delivered or on the notices effective date, whichever is later.

SPECIAL IV - SPECIAL CONDITIONS OF CONTRACT

Notes on Special Conditions of Contract

- 4.1 The clauses in this section are intended to assist the procuring entity in providing contract-specific information in relation to corresponding clauses in the General Conditions of Contract
- 4.2 The provisions of Section IV complement the General Conditions of Contract included in Section III, specifying contractual requirements linked to the special circumstances of the procuring entity and the goods being procured. In preparing Section IV, the following aspects should be taken into consideration.
 - (a) Information that complement provisions of Section III must be incorporated and
 - (b) Amendments and/or supplements to provisions of Section III, as necessitated by the circumstances of the goods being procured must also be incorporated.

SECTION IV - SPECIAL CONDITIONS OF CONTRACT

4.1 Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over these in the GCC.

4.2 Special conditions of contract as relates to the GCC

REFERENCE OF GCC	SPECIAL CONDITIONS OF CONTRACT
3.7.1	<i>Particulars of performance security:</i> 10% of Contract Price
3.12.1	<i>Terms of payment:</i> i.40% upon delivery of equipment ii.50% upon completion of work iii.10% 30 days after testing and acceptance or as per contract.

SECTION - V- SCHEDULE OF REQUIREMENTS AND PRICES

Notes on Schedule of Requirements and Prices

- 5.1 The Procuring entity must state whether the contract is for procurement, installation and commissioning OR whether it is for installation and commissioning only, in which case, the equipment will have been procured separately.

- 5.2 The tenderers may use additional paper as will be necessary to indicate the details of their costing.

SECTION V - SCHEDULE OF REQUIREMENTS AND PRICES

No.	Item Description	Quantity	Unit Price Kshs	Installation Period	Installation Price	Total Price Kshs.
					Total Price Kshs.	

Authorized Official: _____
Name

Signature

Date

(amend format as necessary)

SECTION VI - TECHNICAL SPECIFICATIONS

6.1 GENERAL

6.1.1. These specifications describe the basic requirements for equipment. Tenderers are requested to submit with their offers the detailed specifications, drawings, catalogues, etc for the products they intend to supply.

6.1.2 Tenderers must indicate on the specifications sheets whether the equipment offered comply with each specific requirement.

6.1.3 All the dimensions and capacities of the equipment to be supplied shall not be less than those required in these specifications. Deviations from the basic requirements, if any, shall be explained in detail in writing with the offer, with supporting data such as calculation sheets, etc. The procuring entity reserves the right to reject the products, if such deviations shall be found critical to the use and operation of the products

6.1.4 The tenderers are requested to present information along with their offers as follows;-

- (i) Shortest possible delivery period of each product
- (ii) Information on proper representative and/or workshop for back-up service/repair and maintenance including their names and addresses

SECTION VI – TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS FOR SUPPLY, INSTALLATION & TESTING OF FILM PREVIEW EQUIPMENT AND BOARDROOM EQUIPMENT

6.0 GENERAL

- a) These specifications describe the basic requirements for equipment. Tenderers are requested to submit with their offers the detailed specifications, drawings, catalogues, etc for the products they intend to supply.
- b) Tenderers must indicate on the specifications sheets whether the equipment offered comply with each specific requirement.
- c) All the dimensions and capacities of the equipment to be supplied shall not be less than those required in these specifications. The Board reserves the right to reject the products, if such deviations shall be found critical to the use and operation of the products

6.1 RACK CABINET

Specification features

- i. 15U dimension 80*60*60
- ii. Rugged cabinet construction for maximum stability
- iii. Galvanized mounting profiles with U-classification markings, front and rear, and anti-static (ESD) protection
- iv. Safety glass door at the front with ventilation cutouts in the side frame profile for optimum heat dissipation and sufficient air circulation
- v. Rear steel door (locked) for easy installation and maintenance of the system
- vi. The angle of opening of at least 120 ° to facilitate access to the components
- vii. Cabinet top and bottom with integrated cable management, storm flap optional

- viii. The upper lid and the bottom plate are provided with ventilation holes
- ix. Side panels should be removable separately for system maintenance when required
- x. Lockable door handle with cylinder lock
- xi. The server cabinet should delivered fully assembled
- xii. Meets ANSI / EIA RS-310-D, IEC297-2, DIN41494; PART1, DIN41494; PART7 standard, ETSI standard

6.2 CINEMA SCREEN

Size 332cm x 186cm

Should be CE approved and meet strictest quality and safety requirements. Case (88x88mm) of steel with galvanized inner side and white (RAL 9016) powder-coated outside, fitted with impact resistant plastic end caps.

- i. Matte White S: double-sided laminated vinyl on a woven fiberglass support with black backing; gain 1.0, viewing angle 50o L/R, weight approx. 425 gr/m2 and thickness approx. 0.34 mm.
- ii. Square format (1:1) has a black border of 2.5 cm on left/right side.
- iii. Video (4:3) and HDTV (16:9) formats have a wide black border all around of 5 cm.
- iv. Synchronous Motor with 17 RPM (revolutions per minute) and 90 Watts.

6.3. BLUE RAY DVD PLAYER

FEATURES:

- i. Single-rackspace Blu-ray & DVD player
- ii. Controllable via Ethernet LAN or RS-232C
- iii. LAN connection for BD Live interaction
- iv. Plays CD, WAV, MP3, WMA, DTS and Dolby audio formats
- v. USB flash drive input for JPEG slideshow play- back
- vi. Included Infrared remote control
- vii. HDMI high-definition audio/video out
- viii. XLR balanced and RCA unbalanced outputs

- ix. Up to -12dB attenuation of analog output
- x. Optical and Coaxial digital audio outputs
- xi. 1.3x playback mode
- xii. Power-on play function
- xiii. Lock function (panel, tray, or IR remote)
- xiv. On-screen Display switchable on or off
- xv. Dimmable front-panel display
- xvi. Firmware update via USB or Ethernet port

Audio

BD Linear Audio	4 Hz–88 kHz (192 kHz)
DVD Linear Audio	4 Hz–44 kHz (96 kHz), 4 Hz–22 kHz (48 kHz)
Audio CD	20 Hz–20 kHz (44.1 kHz)
Frequency Response (during playback, JEITA)	20 Hz - 20 kHz, +/-1.0 dB
Signal to Noise Ratio	90 dB (during playback, JEITA)
Audio Dynamic Range (JEITA)	90 dB (during playback, JEITA)
THD (Total Harmonic Distortion) (during playback, JEITA)	0.01 % (1 kHz) (during playback, JEITA)
Channel Separation (JEITA)	90 dB (during playback, JEITA)

Input / Output Formats

USB input

USB 2.0 Type A

Bus power current: MAX. 500 mA

Analog Outputs (Unbalanced)

RCA jack

Reference Output Level: -10 dBV (0.316 Vrms) Maximum

Output Level: +6 dBV (2.0 Vrms) Output impedance: 200

Ω

Analog Outputs (Balanced)

XLR-3-32(1: GND, 2: HOT, 3: COLD)

Reference Output Level: +4 dBu (1.23 Vrms) Maximum
Output Level: +20 dBu (7.75 Vrms) Output impedance:
100 Ω

Digital Outputs

RCA jack: Compatible Signal Format: IEC-60958- 3
(S/PDIF) Output impedance: 75 Ω

Optical jack: Compatible Signal Format: IEC- 60958-3
(S/PDIF)

HDMI Output

HDMI jack: 19-pin, Type A

Video: 480p/576p*, 720p, 1080i, 1080p, 1080p24
/Audio

Ethernet

10BASE-T/100BASE-TX

RS-232C

D-sub 9-pin

6.4. DLP PROJECTOR COMPLETE WITH 1.23-1.52:1 ZOOM LENS

IMAGE:

Projection Technology:	1.7 cm (0.67") DMD Chip - DLP™
Technology	
Native Resolution:	1920 x 1200 (WUXGA)
Contrast Ratio:	10000:1
Brightness:	6000 ANSI Lumen, with std. optional lens
Lamp:	Laser Light Source
Lamp Life [hrs]:	20000
Lens:	5 optional bayonet lenses
Projection Distance [m]:	1.02 – 19.39
Screen Size (diagonal) [cm] / [inch]:	Maximum: 760 / 300"; Minimum: 127 / 50"
Zoom:	Motorized
Focus Adjustment:	Motorized
Supported Resolutions:	4096 x 2160 (4k); 2560 x 1600 (WQXGA); 2048 x 1080 (2k); 1920x1200 (WUXGA) - 640x480 (VGA); 1080i/50/60; 1080p/24/25/30/50/60; 720p/60; 720p/50; 576i/50; 576p/50; 480p/60; 480i/50
Frequency: Horizontal:	analog: 15/24-100 kHz, digital: 15/24-153 kHz; Vertical: analog: 48-120 Hz, digital: 24-120 Hz

CONNECTIVITY:

RGB (analog):	Input: 1 x 5BNC, shared with
Component Signal (YPbPr):	1 x Mini D-sub 15 pin
Digital: Input:	1 x Display Port supporting HDCP; 1 HDBaseT; 1 x HDMI™ supporting HDCP
	Output: 1 x HDMI supporting HDCP
Video: Input:	1 x BNC R Share
S-Video: Input:	1 x BNC G/B Share
Control: Input:	1 x 3.5 mm Stereo Mini Jack (Wired Remote); 1 x D-Sub 9 pin (RS-232),

Option Slot: modules	Ethernet; 1 x Ethernet shared with HDBaseT
USB:	Input: 1 x Slot for optional OPS
3D Sync:	1 x Type A (USB 2.0 high speed for mouse support)
Video Signals:	Output: 1 x Mini DIN 3pin NTSC; NTSC 4.43; PAL; PAL-M; PAL-N; PAL60; SECAM

REMOTE CONTROL:

Input: 1 x 3.5 mm Stereo Mini Jack
 Remote Control: Auto Adjust; AV Mute; Direct Info; Direct Source
 Select; Eco Mode Control; Freeze-function; Full Lens
 control; Help-function; ID Select; Illuminated Buttons;
 Input Control; Magnify-function; On Screen On/Off
 Selection; Picture Adjust; PIP Function; Power (On-OFF); Select
 (up, down, left, right); Shutter function; Test Picture; Wired /
 Wireless Connection.

ELECTRICAL:

Power Supply: 100-240 V AC; 50 - 60 Hz
 Power Consumption [W]: 270 Eco Mode; 550 Normal Mode

ERGONOMICS:

Safety and Ergonomics: CE; ErP; RoHS; TÜV GS

ADDITIONAL FEATURES:

4K Interface; AMX Beacon; Built-in Display/Multiscreen Splitter;
 Cinema Quality Picture (CQP) Processing for best image quality;
 Crestron RoomView; DICOM Simulation; Digital 3D Reform™;
 Direct Power-Off Function; Edge Blending Function (Build In);
 Free Tilt; Full 3D HDMI Support; Geometric Correction; HDBaseT;
 Keystone Correction (H=±40°, V=±40°); LAN; Lens Shift (vertical
 +0,5 max/-0,5 max, horizontal ± 0,15 max.); Light Source
 Adjustment; Manual Wall Color Correction; Multi-Screen
 compensation mode; NaViSet Administrator 2; OPS module

support; Optional User Logo; OSD with 27 languages; Password Security System; PIP/Side by Side, HDMI

6.5 Channel PREAMP/PROCESSOR:

Analog Performance

Balanced Input to Balanced Output (Reference Stereo Mode)

THD: <0.0005% @ 1 kHz
THD: < 0.002% (20 Hz to 20 kHz)
IMD: < 0.004% @ 1 kHz
S/N ratio: > 123 dB (A weighted)
Frequency Response: 5 Hz to 80 kHz (+0 / -0.1 dB)
Crosstalk: <100 dB

Unbalanced Input to Unbalanced Output (Reference Stereo Mode)

THD: <0.0007% @ 1 kHz
THD: < 0.003% (20 Hz to 20 kHz)
IMD: < 0.005% @ 1 kHz
S/N ratio: > 114 dB (A weighted)
Frequency Response: 5 Hz to 80 kHz (+0 / -0.1 dB)
Crosstalk: <100 dB

Digital Input to Balanced Analog Output (HDMI PCM)

THD: < 0.00025% @ 1 kHz
THD: < 0.002% (20 Hz to 20 kHz)
S/N ratio (all main channels): > 110 dB (A weighted)
S/N ratio (subwoofer channels) > 100 dB (A weighted)

Analog-to-Digital Converters

(Analog Input to Analog Output via digital signal path)

THD: <0.0007% @ 1 kHz
THD: < 0.0007% (20 Hz to 20 kHz)
IMD: < 0.005% @ 1 kHz
S/N ratio: > 106 dB (A weighted)

Input Impedance (Analog)

Balanced Inputs: 47 kOhms
Unbalanced Inputs: 100 kOhms

Output Impedance (Analog)

Balanced Outputs: 100 Ohms
Unbalanced Outputs: 100 Ohms

Maximum Output Level (Analog)

Balanced Outputs: 11 VRMS

Unbalanced Outputs: 5.5 VRMS

Headphone Output Power

8 Ohms: 124 mW / channel

33 Ohms: 51 mW / channel

47 Ohms: 36 mW / channel

150 Ohms: 12 mW / channel

300 Ohms: 6 mW / channel

600 Ohms: 3 mW / channel

Decoding and Processing Modes

Digital Decoding Modes

Dolby TrueHD

Dolby Digital Plus

Dolby Digital 5.1

DTS-HD Master Audio

DTS-HD High Resolution Audio

DTS 5.1

DTS ES Discrete 6.1

PCM-Multi 5.1

PCM-Multi 7.1

Digital Post Processing Modes

Dolby Prologic IIx (PLIIx)

DTS ES Matrix

Audio Operating Modes

Reference Stereo (purist stereo mode)

Direct Mode (minimal processing; with bass management)

Stereo Mode

All Stereo Mode

Display and OSD

Display

OLED (blue; high resolution 256 x 60 pixel graphical; variable brightness)

OSD

Color OSD displayed over live video, including 4k and 3D sources

(variable transparency; multiple operating modes provide different levels of information)

Inputs / Outputs

Analog Inputs

- 1 pair (stereo) – Reference quality analog audio (balanced XLR)
- 1 pair (stereo) – Reference quality analog audio (unbalanced; machined gold-plated RCA connectors)
- 3 pairs (stereo) – Analog audio (unbalanced)
- 1 set (7.1 channels) – Analog audio (unbalanced)

Digital Inputs

- 7 – HDMI 2.0 (without HDCP 2.2)
- 1 – HDMI 2.0 (with HDCP 2.2)
- 3 – Toslink optical S/PDIF digital audio (up to 24/192)
- 3 – Coax (RCA) electrical S/PDIF digital audio (up to 24/192)
- 1 – AES/EBU (XLR) digital audio
- 2 – USB Type A digital data (for firmware updates and future enhancements)
- 1 – USB Type B digital audio (“USB DAC” input; up to 24/192, UAC2, using CM6631A)
- 1 – Ethernet port (RJ-45) (network connection for Dirac and remote control applications)

Other Inputs

Internal high-performance AM/FM tuner (antenna connections: FM “F” connector; AM push terminals)

Analog Outputs

- 1 set (7.2 channels) – Reference quality main analog audio (balanced XLR)
- 1 set (7.2 channels) – Main analog audio (unbalanced; machined gold-plated RCA connectors)
- 1 pair (stereo) – analog line level record output (unbalanced)
- 1 pair (stereo) – analog line level main zone mix output (unbalanced)
- 1 pair (stereo) – analog line level Zone 2 output (unbalanced)
- 1 – high quality headphone output (using TPA-6130)

Digital Outputs

- 1 – HDMI 2.0 (without HDCP 2.2)
- 1 – HDMI 2.0 (with HDCP 2.2; with CEC and ARC)
- 1 – Toslink optical S/PDIF digital audio
- 1 – Coax (RCA) electrical S/PDIF digital audio

6.6 12” SUBWOOFER

Lower cut-off frequency -6 dB: 19 Hz

Upper cut-off frequency -6 dB (main channel/LFE): 100 Hz/150 Hz

Accuracy of frequency response +/-3 dB: 19 Hz - 100 Hz

Driver: 305 mm (12 in) (no magnetical shielding)

Harmonic distortion at 1 m on axis in half space, 30 to 85 Hz: 2nd \leq 3% @ 95 dB SPL
3rd \leq 3% @ 95 dB SPL

Maximum short term sine wave SPL output averaged from 30 to 85 Hz, measured in half space at 1 meter: \geq 113 dB SPL

Maximum peak SPL output with random pink noise, measured in half space at 1 meter: \geq 118 dB SPL

Self generated noise at 1 m on axis (A-weighted): < 5 dB

Short term amplifier output power (Long term output power is limited by driver unit protection circuitry): 400W

Amplifier system THD at nominal output: \leq 0.01%

Mains voltage: 100-240 VAC 50/60 Hz

Power consumption

Standby ISS active: <1 W

Idle: 20 W

Full output, peak: 400 W

SIGNAL PROCESSING SECTION	
Analogue signal input connector XLR female, balanced 10 kOhm	pin 1 gnd, pin 2 non-inverting, pin 3 inverting
Maximum analogue input signal	+25.0 dBu
Analogue input sensitivity (100 dB SPL at 1 m)	+12 to -6 dBu
Digital signal input connector XLR female 110 Ohm Digital signal output / Thru connector XLR male 110 Ohm	AES/EBU Single Wire AES/EBU Single Wire
Digital audio input Word length Sample rate	16 - 24 bits 32 - 192 kHz
Digital input sensitivity(100 dB SPL at 1 m) rotary level adjustment	-30 Dbfs
Subsonic filter (18 dB/octave) below	19 Hz
Control network Type Connection	Proprietary GLM™ network 2 RJ45, CAT5 cables

GLM™ software frequency response adjustment parametric notch filters	20
System calibration	Genelec GLM AutoCal™
Crossover subwoofer/subwoofer output channels Centralized Bass Management Distributed Bass Management (GLM control only)	Subwoofer: low pass 85 Hz, output: high pass 85 Hz Subwoofer: low pass 50-100 Hz, output: no filtering
LFE cutoff	150 Hz
Midband rejection >400 Hz	≥ 50 dB
Bass Roll-Off control operating range in 4 dB	0 to -12 dB at 20 Hz
Phase matching control	90° steps with dip switch controls 15° steps with GLM control

6.7 8" MID RANGE SPEAKER c/w Calibration Software:

SPECIFICATIONS

Drivers Bass Midrange Treble	Dual 8 1/2 x 4 in 120 mm (5 in) Coax Al-cone
Free field frequency response of system	32 Hz - 35 kHz (- 6 dB)
Accuracy of frequency response	38 Hz - 20 kHz (± 1.5 dB)
Maximum peak SPL output per pair on top of console at 1 m with music material	≥ 121 dB SPL
Maximum short term sine wave SPL output at 1 m on axis in half space, averaged as specified	(from 100 Hz to 3 kHz) ≥ 111 dB SPL
Crossover frequency	470 Hz, 2.6 kHz
Self generated noise level in free field @ 1 m on axis (A-weighted)	≤ 5 dB
Input signal Analog AES/EBU (single wire and dual wire)	1 XLR female (10 kOhm input load impedance) 1 XLR female (conforms to IEC 60958-4)
Output / Thru signal AES/EBU (single wire and dual wire)	1 XLR male (conforms to IEC 60958-4)
Digital audio Word length Sample rate	16 - 24 bits 32 - 192 kHz
Analog input level for 100 dB SPL at 1 m	-6 dBu
Maximum analog input signal	+21 dBu

Control network Type Connection	proprietary GLM™ network 2 RJ45, CAT5 cables
GLM™ software frequency response adjustment* Notch filters Shelving filters	4 LF and 2 HF 2 LF and 2 HF
System calibration *	AutoCal™, GLM™ manual, Stand-alone
Bass amplifier output power Midrange amplifier output power Treble amplifier output power (Long term output power is limited by driver protection circuitry)	150 W 120 W 90 W
Power consumption Idle Full output	20 W 290 W

6.8 6.5" MID RANGE SPEAKER c/w Calibration Software:

SYSTEM SPECIFICATIONS	
Lower cut-off frequency, -6 Db	< 38 Hz
Upper cut-off frequency, -6 dB	> 37 kHz
Accuracy of frequency response, ± 1.5 dB	45 Hz – 20 kHz
Maximum short term sine wave acoustic output on axis in half space, averaged from 100 Hz to 3 kHz at 1 m	≥ 110 dB SPL
Maximum long term RMS acoustic output in the same conditions with IEC weighted noise (limited by driver protection circuit) at 1 m	101 dB SPL
Maximum peak acoustic output per pair in a listening room with music material	118 dB
Self generated noise level in free space at 1 m on axis (A-weighted)	≤ 3 dB
Harmonic distortion at 90 dB SPL at 1 m on axis Freq: 50...100 Hz > 100 Hz	< 2 % < 0.5 %
Drivers Bass Midrange Treble	Dual 170 x 90 mm (6 ⁵ / ₈ x 3 ¹ / ₂ in) oval cones 90 mm (3 ¹ / ₂ in) cone (coaxial) 19 mm (3 ³ / ₄ in) metal dome (coaxial)
Weight	9.8 kg (22 lb)
Dimensions Height including IsoPod stand Height without IsoPod Width Height	370 mm (13 ¹³ / ₁₆ in) 351 mm (14 ⁹ / ₁₆ in) 237 mm (9 ³ / ₈ in) 243 mm (9 ⁷ / ₈ in)
AMPLIFIER SECTION	
Bass amplifier short term output power Midrange amplifier short term output power Treble amplifier short term output power	250 W 150 W 150 W
Amplifier system THD at nominal output	<0.05%
Mains voltage	100-240 VAC 50/60 Hz

Power consumption ISS active Idle Full output (short term)	< 0.5 W 16 W 250 W
SIGNAL PROCESSING	
	8341A
Analog signal input connector XLR female, balanced 10 kOhm	pin 1 gnd pin 2 non-inverting pin 3 inverting
Maximum analog input signal Analog input sensitivity (100 dB SPL at 1 m) Analog input sensitivity	+24.0 dBu -6 dBu Adjustable from +36 to -6 dBu
Digital signal input connector XLR female 110 Ohm Digital signal output / Thru connector XLR male 110 Ohm	AES/EBU Single Wire AES/EBU Single Wire
Digital audio input Word length Sample rate	16 - 24 bits 32 - 192 kHz -30 dBFS 42 dB
Control network	Proprietary GLM™ network 2 RJ45, CAT5 cables
Crossover frequencies Bass/Mid	500 Hz 3 kHz
GLM™ software frequency response adjustment* Parametric notch filters Shelving filters	16 2 LF and 2 HF
System room response calibration	Genelec GLM AutoCal™, GLM™ manual, Stand-alone*

6.9 Multi-format Media Storage and Play out:

Specifications:

- i. Power specifications: 100 to 240V, 60 to 50Hz.
- ii. Video specification: JPEG 2000, MPEG/MPEG4 4K – 24 (2D) (optional), 2K – 24, 48, 60 (2D), 2K – 24, 48, 60 (3D), SD/HD
- iii. Audio outputs: 16/24-bit AES/EBU, 16 channels, 48/96 KHz
2 x RJ45
- iv. System connectivity interfaces: 2 x RJ-45 (1000 BaseT), x 3
2 x USB A-Type Female, In & Out (2 x BNC), Passive loop output/, Video sync input (2 x BNC)x 1 (alternative content input), x 2 (alternative content input), 4 x RJ45 (8 GPIs and 8 GPOs)
- v. Storage options: Redundant hot swappable 2TB or 3TB
- vi. User interface: PC/ Mac/ VGA
- vii. Third party integration: YES

6.10 Acoustics:

The acoustic should have the following;

- i. Fire retardant Polyurethane foam
- ii. Fire retardant Multifuser wood
- iii. Fire retardant fabric
- iv. Installed using adhesive flexi glue

6.11 Branded Cinema Theatre seats

- i. Back Height: 42.5"
- ii. Chair Width: 24"
- iii. Outer Back: Fully Upholstered, and Injection Molded
- iv. Seat Style: Waterfall
- v. Seat Return: Zero Gravity Return, 100%
- vi. Seat Bottom: Injection Molded Cover
- vii. Armrests: Upholstered, With Cup holder
- viii. Aisle Panels: High End Panel, Low End Panel, ADA Panel
- ix. Center Arms: Retractable Flip Up
- x. Aisle Lighting
- xi. Retractable writing pads

6.12 Presentation Projector c/w 15m HDMI Cable and VGA Cable, Ceiling Mount and 150cms x 200cms (100") electric projector screen with RF Remote control

TECHNOLOGY

OPTICAL

Zoom 1-1.2 (Optical Zoom)
Screen Size 30" to 300" [0.67 to 6.81 m] (Zoom:Wide)
30" to 300"[0.80 to 8.18 m] (Zoom:Tele)
Projection Distance 60" screen 1.35 - 1.62 m
Throw Ratio 1.04 (Zoom:Wide), 1.26 (Zoom:Tele)
Projection Lens F Number 1.58-1.7
Projection Lens Focal Length 13.52mm-16.22mm
Focus Method Powered Focus
Offset 10:1

IMAGE

Colour Light Output	3,000 Lumens
White Light Output	3,000 Lumens
Resolution	WXGA

Native Aspect Ratio	16:10
Contrast Ratio	2,000:1
Lamp Hours Normal/Eco:	4,000/4,000 Hours
Lamp Type	230 W UHE (E-TORL)
Keystone Correction Vertical:	-45 degrees to +45 degrees
Horizontal:	-30 degrees to +30 degrees
Colour Reproduction	Up to 1.07 billion colours
Colour Processing	10 bit

CONNECTIVITY

Input: Video	1 x RCA (Yellow), 1 x Component (via D-sub 15-pin)
Input: Computer	1 x D-sub 15-Pin (RGB), 1 x USB 2.0 type B
Input: USB Memory Device	1 x USB 2.0 type A
Input: Three-In-One USB Display	1 x USB 2.0 type B
Input: Digital	1 x HDMI
Input: Audio	1 x Stereo mini jack, 1 x HDMI
Input: Control	1 x USB 2.0 type B
Input: Epson USB Document Camera	1 x USB 2.0 type A
Wireless Connectivity	Yes
Output: Video	-
Output: Audio	-
Speaker Output	1W

ADVANCED FEATURES

EasyMP Network & Control	Yes
EasyMP Network Projection	Yes
PC Free Presentations	Yes
USB Plug 'n Play	Yes
AV Mute	Yes
Instant Off	Yes
Direct Power On/Off	Yes
Security	Kensington® -style lock provisio
Colour Modes	Dynamic, Presentation, Theatre, Photo, sRGB, Blackboard, Whiteboard, Custom, DICOM SIM

6.15 SCHEDULE OF REQUIREMENTS:

	DESCRIPTION	COUNTRY OF ORIGIN	QTY	UNIT PRICE	TOTAL PRICE
1	Rack cabinet		1		
2	Cinema screen		1		
3	Blue ray DVD Player		1		
4	DLP Projector with zoom lens		1		
5	7.2 Channel Preamp/Sound processor		1		
6	12" Subwoofer Speaker		2		
7	8" Mid Range Speakers		3		
8	6.5" Mid Range Speakers		4		
9	Multi-media storage and play out		1		
10	Acoustics		LOT		
11	Branded Cinema Theatre seats		25		
12	Presentation projector complete with accessories				
11	Labour, Consumables, Installation and Commissioning		LOT		

6.16 BIDDER QUALIFICATIONS

1. Must be an appointed dealer of the equipment – submit proof.
2. Must have at least three working sites e.g cinema, studios.
Submit proof of works done.
3. Demonstrate capability to undertake the assignment – provide proof of capacity both human and equipment.
4. Certification/knowledge in sound engineering and acoustics installation.
5. Proven knowledge on installation of quality cinema projection equipment and associated accessories .

SECTION VII - STANDARD FORMS

Notes on the Standard Forms:

7.1 Form of Tender

This form must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representative of the tenderer.

7.2 Confidential Business Questionnaire Form

This form must be completed by the tenderer and submitted with tender documents

7.3 Tender Security Form

When required by the tender document the tenderer shall provide the tender security either in the form included therein after or in another format acceptable to the procuring entity.

7.4 Contract Form

The Contract form shall not be completed by the tenderer at the time of submitting the tenderer at the time of submitting the tender. The contract form shall be completed after contract award.

7.5 Performance Security form

The performance security form should not be completed by the tenderer at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the sum provided herein or in another form acceptable to the procuring entity.

7.6 Bank Guarantee for Advance Payment.

When there is an agreement to have Advance payment, this form must be duly completed.

7.7 Manufacturer's Authorization Form

When required by the tender document, this form must be completed and submitted with the tender document. This form will be completed by the manufacturer of the goods where the tender is an agent.

7.1 **FORM OF TENDER**

Date _____
Tender No. _____

To: _____

[name and address of procuring entity]

Gentlemen and/or Ladies:

1. Having examined the tender documents including Addenda Nos. *[insert numbers]*.the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply deliver, install and commission (..... *(insert equipment description)* in conformity with the said tender documents for the sum of *(total tender amount in words and figures)* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Tender.

2. We undertake, if our Tender is accepted, to deliver install and commission the equipment in accordance with the delivery schedule specified in the Schedule of Requirements.

3. If our Tender is accepted, we will obtain the guarantee of a bank in a sum of equivalent to _____ percent of the Contract Price for the due performance of the Contract , in the form prescribed by*(Procuring entity)*.

4. We agree to abide by this Tender for a period of *[number]* days from the date fixed for tender opening of the Instructions to tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

5. This Tender, together with your written acceptance thereof and your notification of award, shall constitute a Contract, between us. Subject to signing of the Contract by the parties.

6. We understand that you are not bound to accept the lowest or any tender that you may receive.

Dated this _____ day of _____ 20 _____

[signature]

[in the capacity of]

Duly authorized to sign tender for an on behalf of _____

7.2 CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2 (c) whichever applied to your type of business

You are advised that it is a serious offence to give false information on this form

Part 1 – General:

Business Name

Location of business premises.

Plot No. Street/Road

Postal Address Tel No. Fax E mail

Nature of Business ,

Registration Certificate No.

Maximum value of business which you can handle at any one time – Kshs.

Name of your bankers Branch

Part 2 (a) – Sole Proprietor			
Your name in full		Age	
Nationality		Country of origin	
<ul style="list-style-type: none"> • Citizenship details • 			
Part 2 (b) Partnership			
Given details of partners as follows:			
Name	Nationality	Citizenship Details	Shares
6.
7.
8.
9.
Part 2 (c) – Registered Company			
Private or Public			
State the nominal and issued capital of company-			
Nominal Kshs.			
Issued Kshs.			
Given details of all directors as follows			
Name	Nationality	Citizenship Details	Shares
1.
2.
3.
4.
5.
Date		Seal/Signature of Candidate	

7.3 TENDER SECURITY FORM

Whereas [*name of the tenderer*]
(hereinafter called “the tenderer”) has submitted its tender dated
[*date of submission of tender*] for the supply, installation and commissioning
of [*name and/or description of the equipment*]
(hereinafter called “the Tender”)

KNOW ALL PEOPLE by these presents that WE
..... of having our
registered office at (hereinafter called “the Bank”), are
bound unto [*name of Procuring entity*] (hereinafter called “the
Procuring entity”) in the sum of for which
payment well and truly to be made to the said Procuring entity, the Bank
binds itself, its successors, and assigns by these presents. Sealed with the
Common Seal of the said Bank this _____ day of _____
20 _____.

THE CONDITIONS of this obligation are:-

- 1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer on the Tender Form; or

- 2. If the tenderer, having been notified of the acceptance of its Tender by the Procuring entity during the period of tender validity:
 - (a) fails or refuses to execute the Contract Form, if required; or
 - (b) fails or refuses to furnish the performance security in accordance with the Instructions to tenderers;

We undertake to pay to the Procuring entity up to the above amount upon receipt of its first written demand, without the Procuring entity having to substantiate its demand, provided that in its demand the Procuring entity will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This tender guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.

[*signature of the bank*]
(Amend accordingly if provided by Insurance Company)

7.4 CONTRACT FORM

THIS AGREEMENT made the _____ day of _____ 20 _____ between [*name of Procurement entity*] of [*country of Procurement entity*] (hereinafter called “the Procuring entity) of the one part and [*name of tenderer*] of [*city and country of tenderer*] (hereinafter called “the tenderer”) of the other part;

WHEREAS the Procuring entity invited tenders for [certain goods] and has accepted a tender by the tenderer for the supply of those goods in the sum of [*contract price in words and figures*] (hereinafter called “the Contract Price).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:
2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:
 - (a) the Tender Form and the Price Schedule submitted by the tenderer
 - (b) the Schedule of Requirements
 - (c) the Technical Specifications
 - (d) the General Conditions of Contract
 - (e) the Special Conditions of contract; and
 - (f) the Procuring entity’s Notification of Award
3. In consideration of the payments to be made by the Procuring entity to the tenderer as hereinafter mentioned, the tenderer hereby covenants with the Procuring entity to provide the goods and to remedy the defects therein in conformity in all respects with the provisions of this Contract
4. The Procuring entity hereby covenants to pay the tenderer in consideration of the provisions of the goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by _____ the _____ (for the Procuring entity)

Signed, sealed, delivered by _____ the _____ (for the tenderer in the presence of _____)

7.5 PERFORMANCE SECURITY FORM

To

[name of Procuring entity]

WHEREAS *[name of tenderer]*
(hereinafter called “the tenderer”) has undertaken , in pursuance of Contract
No. _____ *[reference number of the contract]* dated _____
20 _____ to supply
[description of goods] (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the
tenderer shall furnish you with a bank guarantee by a reputable bank for the
sum specified therein as security for compliance with the Tenderer’s
performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to
you, on behalf of the tenderer, up to a total of
[amount of the guarantee in words and figure] and we undertake to pay you,
upon your first written demand declaring the tenderer to be in default under
the Contract and without cavil or argument, any sum or sums within the
limits of *[amount of guarantee]* as aforesaid, without
you needing to prove or to show grounds or reasons for your demand or the
sum specified therein.

This guarantee is valid until the _____ day of _____ 20 _____

Signed and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

(Amend accordingly if provided by Insurance Company)

7.6 BANK GUARANTEE FOR ADVANCE PAYMENT

To
[name of Procuring entity]

[name of tender]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends the General Conditions of Contract to provide for advance payment, [name and address of tenderer](hereinafter called “the tenderer”) shall deposit with the Procuring entity a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract an amount of [amount of guarantee in figures and words].

We, the [bank or financial institutions], as instructed by the tenderer, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the Procuring entity on its first demand without whatsoever right of objection on our part and without its first claim to the tenderer, in the amount not exceeding [amount of guarantee in figures and words]

We further agree that no change or addition to or other modification of the terms of the Contract to be performed there-under or of any of the Contract documents which may be made between the Procuring entity and the tenderer, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid in full effect from the date of the advance payment received by the tenderer under the Contract until [date].

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

7.7 MANUFACTURER’S AUTHORIZATION FORM

To *[name of the Procuring entity]*

WHEREAS*[name of the manufacturer]* who are established and reputable manufacturers of *[name and/or description of the goods]* having factories at *[address of factory]* do hereby authorize *[name and address of Agent]* to submit a tender, and subsequently negotiate and sign the Contract with you against tender No. *[reference of the Tender]* for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.

[signature for and on behalf of manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by an authorized person.

7.8. LETTER OF NOTIFICATION OF AWARD

Address of Procuring Entity

To: _____

RE: Tender No. _____

Tender Name _____

This is to notify that the contract/s stated below under the above mentioned tender have been awarded to you.

1. Please acknowledge receipt of this letter of notification signifying your acceptance.
2. The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3. You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.

(FULL PARTICULARS) _____

SIGNED FOR ACCOUNTING OFFICER

7.9

FORM RB 1

REPUBLIC OF KENYA

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NO.....OF.....20.....

BETWEEN

.....APPLICANT

AND

.....RESPONDENT (*Procuring Entity*)

Request for review of the decision of the..... (*Name of the Procuring Entity*) of
.....dated the...day of20.....in the matter of Tender No.....of
.....20...

REQUEST FOR REVIEW

I/We.....,the above named Applicant(s), of address: Physical
address.....Fax No.....Tel. No.....Email, hereby request the Public
Procurement Administrative Review Board to review the whole/part of the above mentioned
decision on the following grounds , namely:-

- 1.
- 2.
- etc.

By this memorandum, the Applicant requests the Board for an order/orders that: -

- 1.
- 2.
- etc

SIGNED(Applicant)

Dated on.....day of/...20...

FOR OFFICIAL USE ONLY

Lodged with the Secretary Public Procurement Administrative Review Board on day of
.....20.....

SIGNED
Board Secretary